

# Active Directory Integration

Dette dokument beskriver de data BluePositions produkter kan hente i Microsoft Active Directory for at lette deres konfiguration.

## Benyttede Active Directory felter

MobilePBX™ og MobileStatus Server™ kan hente kontaktinformationer fra Active Directory til deres telefonbøger. Dette kan lette konfigurationen af de to produkter, idet brugeren ellers selv skulle indtaste alle navne, numre, e-mail adresser mm.

Der kan hentes Active Directory Kontakt-objekter og Bruger-objekter.

De felter der benyttes fra Active Directory er

Felt navn	Brug i MobilePBX/MobileStatus Server
Display Name	Kontaktens navn
E-mail	E-mail adressen
Telephone Number	Andet nummer
Mobile	Mobiltelefon nummer
Pager Number	Lokalnummer
Department	Afdeling
Title	Titel
City	Lokation

MobileStatus Server benytter kun navn, afdeling, mobiltelefon nummer og lokalnummer. MobilePBX benytter ikke lokalnummeret.

## Active Directory konfiguration

Ovenstående felter udfyldes i værktøjet Active Directory Users and Computers på en af de servere der fungerer som Domain Controller i netværket.

Når man åbner egenskaberne for en bruger eller en kontakt åbnes et vindue med flere faneblade. Afhængig af Windows version og hvilken serversoftware der er installeret, kan udseendet variere lidt, men felterne hedder det samme.

Ovenstående felter findes i forskellige faneblade i egenskaberne.

The screenshot shows the 'Poul Hansen Properties' dialog box with the 'General' tab selected. The dialog has a title bar with a question mark and a close button. Below the title bar are three tabs: 'Security', 'Exchange General', and 'E-mail Addresses'. Under 'Exchange General', there are sub-tabs: 'Exchange Advanced' and 'Communications'. The 'General' sub-tab is active, showing fields for 'First name' (Poul), 'Last name' (Hansen), 'Display name' (Poul Hansen), 'Telephone number' (+4570206525), and 'E-mail' (poulhansen@blueposition.com). There are also buttons for 'Other...' next to the telephone and web page fields. At the bottom are 'OK', 'Cancel', 'Apply', and 'Help' buttons.

På General fanebladet findes "Display name", "Telephone number" og "E-mail" felterne.

Telephone number benyttes af MobilePBX som Andet nummer.

The screenshot shows the 'Poul Hansen Properties' dialog box with the 'Address' tab selected. The 'City' field is filled with 'Kgs. Lyngby'. Other fields include 'Street', 'P.O. Box', 'State/province', 'Zip/Postal Code', and 'Country/region'. At the bottom are 'OK', 'Cancel', 'Apply', and 'Help' buttons.

På Address fanebladet findes City feltet der i MobilePBX kaldes Lokation.

The screenshot shows the 'Poul Hansen Properties' dialog box with the 'Organization' tab selected. The 'Title' field is empty, and the 'Department' field contains the text 'Support'. The 'Company' field is empty. Below these fields is a 'Manager' section with a 'Name' field and three buttons: 'Change...', 'Properties', and 'Clear'. At the bottom of the dialog are 'OK', 'Cancel', 'Apply', and 'Help' buttons.

Title og Department felterne ligger i Organization fanebladet.

Department kaldes Afdeling i MobilePBX når denne er på dansk.

The screenshot shows the 'Poul Hansen Properties' dialog box with the 'Telephones' tab selected. The 'Telephone numbers' section contains five rows: 'Home:', 'Pager:', 'Mobile:', 'Fax:', and 'IP phone:'. Each row has a text input field and an 'Other...' button. The 'Mobile' field contains the number '+4541191181'. Below this section is a 'Notes' text area. At the bottom of the dialog are 'OK', 'Cancel', 'Apply', and 'Help' buttons.

Mobile feltet skal indeholde mobiltelefon nummeret.

Pager feltet skal indeholde lokalnummeret.